## For Research Use Only

## MNT Recombinant antibody

Catalog Number:83648-1-RR Featured Product




Basic Information	Catalog Number: 83648-1-RR	GenBank Accession Number: BC117563	Purification Method: Protein A purification	
	Concentration: 1000 ug/ml	GeneID (NCBI): 4335	CloneNo.: 240550A10	
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG34529	UNIPROT ID: Q99583 Full Name: MAX binding protein	Recommended Dilutions: WB 1:5000-1:50000 IF/ICC 1:500-1:2000	
				Calculated MW: 582 aa, 62 kDa
		Observed MW: 70 kDa		
		Applications	Tested Applications: WB, IF/ICC, FC (Intra), ELISA Species Specificity: human, rat	WB : He
IF/ICC	: HeLa cells,			
Background Information	Mnt (Max binding protein), also known as MAD6, ROX, bHLHd3 (class D basic helix-loop-helix protein 3) or MXD6, is a 582 amino acid nuclear protein that forms a complex with Max (Myc-associated factor X) to repress transcription. Mnt contains one basic helix-loop-helix (bHLH) domain and is encoded by a gene that maps to human chromosome 17p13.3. Chromosome 17 comprises over 2.5% of the human genome and encodes over 1,200 genes. Two key tumor suppressor genes are associated with chromosome 17, namely, p53 and BRCA1. Tumor suppressor p53 is necessary for maintenance of cellular genetic integrity by moderating cell fate through DNA repair versus cell death. Like p53, BRCA1 is directly involved in DNA repair, though specifically it is recognized as a genetic determinant of early onset breast cancer and predisposition to cancers of the ovary, colon, prostate gland and fallopian tubes.			
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	1 50% glycerol, pH7.3		


For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83648-1-RR (MNT antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




WB result of MNT antibody (83648-1-RR; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-MNT transfected HeLa cells.



1x10^6 A431 cells were intracellularly stained with 0.25 ug MNT Recombinant antibody (83648-1-RR, Clone:240550A10) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgC(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using MNT antibody (83648-1-RR, Clone: 240550A10) at dilution of 1:1000 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLL) kinetic assays of 83648-1-RR against Human MNT were performed. The affinity constant is below 1 pM.