For Research Use Only

CDK9 Recombinant antibody

Catalog Number:83662-7-RR



Purification Method:

Protein A purfication

Recommended Dilutions:

CloneNo.:

240600D7

Positive Controls:

IF/ICC: HeLa cells,

IHC: human lung cancer tissue,

IHC 1:50-1:500 IF/ICC 1:125-1:500

Basic Information

Catalog Number: GenBank Accession Number: 83662-7-RR BC001968

Concentration: GeneID (NCBI): 1000 ug/ml 1025
Source: UNIPROT ID:

Rabbit P50750 Isotype: Full Name:

IgG cyclin-dependent kinase 9

Immunogen Catalog Number:Calculated MW:AG2318372 aa, 43 kDaObserved MW:

38-42 kDa, 55 kDa

Applications

Tested Applications: IHC, IF/ICC, ELISA

Species Specificity: human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

CDK9(Cyclin-dependent kinase 9) is a member of the Cdc2-like family of kinases. Its cyclin partners are members of the family of cyclin T (T1, T2a and T2b) and cyclin K. The CDK9/cyclin T complexes appear to be involved in regulating several physiological processes. CDK9 has also been described as the kinase of the TAK complex, which is homologous to the P-TEFb complex and involved in HIV replication. In addition, CDK9 seems to have an antiapoptotic function in monocytes, that may be related to its control over differentiation of monocytes (PMID: 12432243).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 83662-7-RR (CDK9 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 83662-7-RR (CDK9 antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CDK9 antibody (83662-7-RR, Clone: 240600D7) at dilution of 1:250 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CDK9 antibody (83662-7-RR, Clone: 240600D7) at dilution of 1:250 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLI) kinetic assays of 83662-7-RR against Human CDK9 were performed. The affinity constant is below 1 pM.