

For Research Use Only

KCNH7 Recombinant antibody

Catalog Number: 83674-1-RR



Basic Information

| | | |
|--|--|---|
| Catalog Number: 83674-1-RR | GenBank Accession Number: BC035815 | Purification Method: Protein A purification |
| Concentration: 1000 ug/ml | GeneID (NCBI): 90134 | CloneNo.: 240644B5 |
| Source: Rabbit | UNIPROT ID: Q9NS40 | Recommended Dilutions: WB 1:5000-1:50000 IHC 1:200-1:800 |
| Isotype: IgG | Full Name: potassium voltage-gated channel, subfamily H (eag-related), member 7 | |
| Immunogen Catalog Number: AG4532 | Calculated MW: 1196 aa, 135 kDa | |
| | Observed MW: 135 kDa | |

Applications

| | |
|--|--|
| Tested Applications: WB, IHC, ELISA | Positive Controls: |
| Species Specificity: human, mouse, rat, pig | WB : mouse brain tissue, pig brain tissue, rat brain tissue |
| Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 | IHC : mouse brain tissue, |

Background Information

Potassium voltage-gated channel subfamily H member 7 is a protein that in humans is encoded by the KCNH7 gene. The protein encoded by this gene is a voltage-gated potassium channel subunit. KCNH7 is pore-forming (alpha) subunit of voltage-gated potassium channel. Channel properties may be modulated by cAMP and subunit assembly.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83674-1-RR (KCNH7 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



pig brain tissue were subjected to SDS PAGE followed by western blot with 83674-1-RR (KCNH7 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 83674-1-RR (KCNH7 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLI) kinetic assays of 83674-1-RR against Human KCNH7 were performed. The affinity constant is below 1 pM.