For Research Use Only

MARS Recombinant antibody

Catalog Number:83690-5-RR



Basic Information

Catalog Number: GenBank Accession Number:

83690-5-RR BC002384
Size: GeneID (NCBI):
1000 ug/ml 4141

Source: UNIPROT ID: Rabbit P56192
Isotype: Full Name:

IgG methionyl-tRNA synthetase

Immunogen Catalog Number: Calculated MW: AG6619 101 kDa

Observed MW: 101 kDa Purification Method:

Protein A purfication CloneNo.:

240648G3
Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:50-1:500 IF/ICC 1:125-1:500

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: A549 cells, HeLa cells, HepG2 cells, PC-12 cells,

mouse testis tissue

IHC: human ovarian cancer, human stomach cancer

tissue

IF/ICC: HepG2 cells,

Background Information

The methionyl-tRNA synthetase (MARS) gene encodes cytoplasmic methionyl-tRNA synthetase (MetRS) responsible for catalyzing the ligation of methionine to tRNA. MetRS belongs to a family of aminoacyl-tRNA synthetases that play critical roles in protein biosynthesis by charging tRNAs with their cognate amino acids. MetRS overexpression was shown to be evident in human colon cancer patients. MetRS may thus be involved in oncogenic transformation. MetRS has been proven as a potential prognostic marker candidate for the clinical prognostic prediction of non-small-cell lung cancer (NSCLC) in patients. MetRS can also be used to detect intracellular oxidative stress and control protein synthesis under oxidative stress (PMID: 30271085, PMID: 34679529, PMID: 32404475). The calculated molecular weight of MetRS is 101 kDa.

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83690-5-RR (MARS antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using MARS antibody (83690-5-RR, Clone: 240648G3) at dilution of 1:250 and CoraLite®488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Immunohistochemical analysis of paraffinembedded human ovarian cancer slide using 83690-5-RR (MARS antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 83690-5-RR (MARS antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer(pH9).



Biolayer interferometry (BLL) kinetic assays of 83690-5-RR against Human MARS were performed. The affinity constant is 0.459 nM.