For Research Use Only

HNRNPA2B1 Recombinant antibody

Catalog Number:83773-7-RR



Basic Information

Catalog Number: 83773-7-RR

Size:

Source: Rabbit

Isotype:

1000 ug/ml

GenBank Accession Number: BC000506 GeneID (NCBI): 3181 **UNIPROT ID:** P22626

Full Name: heterogeneous nuclear

AG6563 Calculated MW:

> Observed MW: 36 kDa, 38 kDa

ribonucleoprotein A2/B1

37 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), ELISA

Immunogen Catalog Number:

Species Specificity: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, A549 cells, Jurkat cells, K-562 cells, HL-60 cells, HSC-T6 cells, NIH/3T3 cells

Purification Method:

Protein A purfication

Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:200-1:800

IF/ICC 1:200-1:800

CloneNo.:

240831E3

IHC: mouse colon tissue, IF/ICC : HeLa cells,

Background Information

 $HnRNPA2B1\ is\ one\ of\ the\ heterogenous\ nuclear\ ribonucleoproteins\ (HnRNPs),\ which\ regulate\ the\ splicing\ and\ and\ result of\ the\ property of\ the\ property of\ the\ property of\ the\ property\ property\$ transportation of mRNA. It has a role in packaging nascent mRNA, alternative splicing, cytoplasmic RNA trafficking, translation, and stabilization. Besides it may involve in telomere maintenance, cell proliferation and differentiation, and glucose transport. Gene HURNPA2B1 encodes two proteins, HNRNPA2 (36kd) and HNRNPB1 (38kd), by alternative splicing.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83773-7-RR (HNRNPA2B1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using HNRNPA2B1 antibody (83773-7-RR, Clone: 240831E3) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 83773-7-RR (HNRNPA2B1 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 HeLa cells were intracellularly stained with 0.25 ug HNRNPA2B1 Recombinant antibody (83773-7-RR, Clone:240831E3) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with 0.1% TritonX-100.



Biolayer interferometry (BLL) kinetic assays of 83773-7-RR against Human HNRNPA2B1 were performed. The affinity constant is 5.04 nM.