For Research Use Only

ASC/TMS1 Recombinant antibody

Catalog Number:83858-3-RR



Basic Information

Catalog Number: 83858-3-RR

Concentration: GeneID (NCBI): 1000 μ g/ml 66824 Source: UNIPROT ID: Rabbit Q9EPB4

Isotype: Full Name:

IgG PYD and CARD domain containing

Immunogen Catalog Number: Calculated MW:

AG32519 21K

Observed MW: 21-25 kDa

NM_023258

GenBank Accession Number:

Applications

Tested Applications: WB, IHC, ELISA

Species Specificity:

mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: J774A.1 cells, mouse lung tissue, mouse thymus

Purification Method:

CloneNo.: 240908D5

Protein A purification

Recommended Dilutions:

WB 1:1000-1:4000

IHC 1:250-1:1000

tissue, mouse spleen tissue

IHC: mouse colon tissue,

Background Information

PYCARD (PYD and CARD domain containing), also known as ASC and CARD5. The calculated molecular weight of PYCARD is 21 kDa. It is located in cytosol, extracellular region and nucleus. PYCARD is also expressed in several structures, including alimentary system; brain; heart; hemolymphoid system gland; and urinary system. The gene enables identical protein binding activity and protein dimerization activity. Involved in several processes, including activation of cysteine-type endopeptidase activity; positive regulation of cytokine production; and regulation of defense response. It acts upstream of or within several processes, including defense response to Grampositive bacterium; positive regulation of macromolecule metabolic process; and regulation of autophagy. It is also a part of inflammasome complex. Finally, it orthologous to human PYCARD (PYD and CARD domain containing).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83858-3-RR (PYCARD antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 83858-3-RR (ASC/TMS1 antibody) at dilution of 1:500 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse colon tissue slide using 83858-3-RR (ASC/TMS1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLL) kinetic assays of 83858-3-RR against Mouse PYCARD were performed. The affinity constant is 3.58 nM.