For Research Use Only

Histone H1.0 Recombinant antibody, PBS Only (Detector)

Catalog Number:83993-1-PBS



Purification Method:

Protein A purification

CloneNo.:

241147D2

Basic Information

Catalog Number: GenBank Accession Number:

 83993-1-PBS
 BC000145

 Concentration:
 GeneID (NCBI):

 1 mg/ml
 3005

 Source:
 UNIPROT ID:

 Rabbit
 P07305

IgG H1 histone family, member 0

Immunogen Catalog Number: Calculated MW: AG9982 21 kDa

Observed MW: 32 kDa

Full Name:

Applications

Tested Applications:

Isotype:

WB, FC (Intra), Cytometric bead array, Sandwich ELISA,

Indirect ELISA, Sample test

Species Specificity:

human, mouse, rat

Background Information

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. Linker histones are involved in forming higher order structure in chromatin and maintaining overall chromatin compaction. The H1F0 histones are found in cells that are in terminal stages of differentiation or that have low rates of cell division.Histone H1.0 (H1F0,H1FV) is a linker histone that is widely expressed in many tissues and almost all vertebrates, unlike some other linker histones. The observed molecular weight of H1F0 is about 32 kDa.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83993-1-RR (Histone H1.0 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83993-1-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 83993-1-RR (Histone H1.0 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83993-1-PBS in a different storage buffer formulation.




1x10^6 BxPC-3 cells were intracellularly stained with 0.25 ug Histone H1.0 Recombinant antibody (83993-1-RR, Clone:241147D2) and APC-Conjugated Goat Anti-Rabbit 1gG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set. This data was developed using the same antibody clone with 83993-1-PBS in a different storage buffer formulation.




Sandwich ELISA standard curve of MP00895-1, Human Histone H1.0 Recombinant Matched Antibody Pair - PBS only. 83993-3-PBS was coated to a plate as the capture antibody and incubated with serial dilutions of standard Ag9982. 83993-1-PBS was HRP conjugated as the detection antibody. Range: 0.937-60 ng/mL



Hela cell lysate was measured. The human Histone H1.0 concentration of detected samples was determined to be 385.31 ng/mL (based on a 2.0 mg/mL extract load).



Cytometric bead array standard curve of MP00895-1, Histone H1.0 Recombinant Matched Antibody Pair, PBS Only. Capture antibody: 83993-3-PBS. Detection antibody: 83993-1-PBS. Standard: Ag9982. Range: 0.781-100 ng/mL



Cytometric bead array standard curve of MP00895-3, Histone H1.0 Recombinant Matched Antibody Pair, PBS Only. Capture antibody: 83993-2-PBS. Detection antibody: 83993-1-PBS. Standard: Ag9982. Range: 0.781-100 ng/mL