For Research Use Only

## PCF11 Recombinant antibody

Catalog Number:84081-4-RR





Basic Information	Catalog Number: 84081-4-RR	GenBank Accession Number: BC 146778	Purification Method: Protein A purfication	
	Concentration: 1000 µg/ml	Genel D (NCBI): 51585	CloneNo.: 241213F9	
	Source: Rabbit	UNIPROT ID: O94913	Recommended Dilutions: WB 1:5000-1:50000	
	Isotype: IgG Immunogen Catalog Number: AG20263	Full Name: PCF 11, cleavage and polyadenylation factor subunit, homolog (S. cerevisiae)		
		Calculated MW: 1555 aa, 173 kDa		
		Observed MW: 180~200 kDa		
Applications	Tested Applications:	Positive Controls: WB : HeLa cells, HEK-293T cells, Jurkat cells, Neuro-2a cells, RAW 264.7 cells,		
	WB, FC (Intra), ELISA Species Specificity: human, mouse			
Background Informatio	recruiting polyadenylation machi transcriptional termination. Pcf11 a 1,555 amino acid nuclear protei is capable of promoting the disso domain that binds in a phospho-d gene encoding Pcf11 is located or of the human genome. Jervell and	In Saccharomyces cerevisiae, the cleavage/polyadenylation factor Pcf11 is a crucial regulatory factor required for recruiting polyadenylation machinery to elongating RNA polymerase II (RNAPII), and is necessary for correct transcriptional termination. Pcf11 (PCF11, cleavage and polyadenylation factor subunit, homolog (S. cerevisiae)), is a 1,555 amino acid nuclear protein that is a component of pre-mRNA cleavage complex II. It is suggested that Pcf11 is capable of promoting the dissociation of Pol II elongation complexes from DNA. Pcf11 contains a CTD-interaction domain that binds in a phospho-dependent manner to the heptad repeats within the RNA polymerase II CTD. The gene encoding Pcf11 is located on human chromosoem 11, which houses over 1,400 genes and comprises nearly 4% of the human genome. Jervell and Lange-Nielsen syndrome, Jacobsen syndrome, Niemann-Pick disease, hereditary angioedema and Smith-Lemli-Opitz syndrome are associated with defects in genes that maps to chromosome 11.		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol pH 7.3.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Biolayer interferometry (BLl) kinetic assays of 84081-4-RR against Human PCF11 were performed. The affinity constant is 0.998 nM.

Various lysates were subjected to SDS PAGE followed by western blot with 84081-4-RR (PCF11 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.

1x10<sup>6</sup> U-2 OS were intracellularly stained with 0.25 ug PCF11 Recombinant antibody (84081-4-RR, Clone:241213F9) and APC-Conjugated Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.