For Research Use Only

CD34 Recombinant antibody


Catalog Number:84242-5-RR




Basic Information	Catalog Number: 84242-5-RR	GenBank Accession Number BC039146	er: Purification Method: Protein A purfication	
	Concentration: 1000 µg/ml	GenelD (NCBI): 947	CloneNo.: 242069F8	
	Source: Rabbit Isotype: IgG	UNIPROT ID: P28906 Full Name: CD34 molecule Calculated MW: 41 kDa	Recommended Dilutions: WB 1:1000-1:8000	
			IHC 1:500-1:2000	
				Observed MW: 105 kDa
		Applications	Tested Applications:	Pos
WB, IHC, ELISA Species Specificity:			WB : HL-60 cells, bEnd.3 cells, HUVEC cells, mouse testis tissue, human placenta tissue	
human			IHC : human placenta tissue, human colon cancer tissue, human liver cancer tissue, human tonsillitis tissue	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	CD34 is a 105- to 120-kDa glycophosphoprotein expressed on the majority of hematopoietic stem/progenitor cells, bone marrow stromal cells, capillary endothelial cells, embryonic fibroblasts, and some nerve tissue. CD34 is a commonly used marker for identifying human hematopoietic stem/progenitor cells and mediates cell adhesion and lymphocyte homing by binding L-selectin and E-selectin ligands. CD34 is also one of the best negative selection markers for characterizing and/or isolating human MSCs from bone marrow and other sources. Along with other positive selection markers (such as CD29, CD44, CD90, CD105 and CD166), negative selection markers (such as CD34 and CD45) are used for MSC identification.			
Storage	Storage: Store at -20°C. Stable for one Storage Buffer: PBS with 0.02% sodium azide Aliquoting is unnecessary for	e and 50% glycerol		

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 84242-5-RR (CD34 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 84242-5-RR (CD34 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 84242-5-RR (CD34 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLl) kinetic assays of 84242-5-RR against Human CD34 were performed. The affinity constant is 16.3 nM.