

CD117/c-Kit Recombinant antibody

Catalog Number: 84259-5-RR

Basic Information

Catalog Number: 84259-5-RR	GenBank Accession Number: BC071593	Purification Method: Protein A purification
Size: 1000 µg/ml	GeneID (NCBI): 3815	CloneNo.: 241313C5
Source: Rabbit	UNIPROT ID: P10721	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:250-1:1000 IF/ICC 1:200-1:800
Isotype: IgG	Full Name: v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog	
	Calculated MW: 976 aa, 110 kDa	
	Observed MW: 140 kDa	

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA	Positive Controls:
Species Specificity: human	WB : Mo7e cells,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IHC : human colon tissue,
	IF/ICC : Mo7e cells,

Background Information

CD117, also known as c-Kit and SCFR, is a transmembrane protein with tyrosine kinase activity encoded by the oncogene c-kit (PMID: 2448137). It is a member of the type III receptor tyrosine kinase family, which also includes CSF-1R, PDGFR β , PDGFR α , and FLT3 (PMID: 29518044). CD117 is expressed on hematopoietic stem cells and progenitor cells, mast cells, and is also found in a wide range of non-haemopoietic cell types (including melanocytes, germ cells, astrocytes, renal tubules, breast glandular epithelial cells, sweat glands, and interstitial cells of Cajal) (PMID: 10582338; 23073628). CD117 plays an important role in early hemopoiesis. It is also involved in pigmentation, fertility, gut movement, and some aspects of the nervous system (PMID: 23073628).


Storage

Storage:
Store at -20°C. Stable for one year after shipment.


Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Mo7e cells were subjected to SDS PAGE followed by western blot with 84259-5-RR (CD117/c-Kit antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human colon tissue slide using 84259-5-RR (CD117/c-Kit antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed Mo7e cells using CD117/c-Kit antibody (84259-5-RR, Clone: 241313C5) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLI) kinetic assays of 84259-5-RR against Human CD117/c-Kit were performed. The affinity constant is 0.90 nM.