For Research Use Only

MTMR4 Recombinant antibody

Catalog Number:84328-1-RR Featured Product




Basic Information	Catalog Number: 84328-1-RR	GenBank Accession Number: BC035609	Purification Method: Protein A purfication	
	Concentration: 1000 µg/ml	GenelD (NCBI): 9110	CloneNo.: 241304E11	
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG4310	UNIPROT ID: Q9NYA4 Full Name: myotubularin related protein 4	Recommended Dilutions: WB 1:500-1:2000 IF/ICC 1:125-1:500	
				Calculated MW: 1195 aa, 133 kDa
		Observed MW: 160-170 kDa		
		Applications	Tested Applications:	Positive Controls: WB : MCF-7 cells, Jurkat cells, HepG2 cells, HeLa cells IF/ICC : HepG2 cells,
WB, IF/ICC, ELISA Species Specificity: human				
Background Information	Myotubularin-related protein-4 (MTMR4), also named FYVE-DSP2, is a member of the myotubularin family of phosphoinositide phosphatases that selectively degrade the 3-position phosphate from the inositol ring of PtdIns(3)P and phosphatidylinositol 3,5-bisphosphate (PtdIns(3,5)P2) (PMID: 31543504). MTMR4 knockdown markedly suppressed the motility, fusion, and fission of PI(3)P- enriched structures, resulting in decreases in late endosomes, autophagosomes, and lysosomes, and enlargement of PI(3)P- enriched early and late endosomes(PMID: 29962048). MTMR4 is an intracellular protein with a calculated molecular mass of 133 kDa, and detected molecular weight in the papers is about 160-170 kDa, which may be due to post-translational modification (PMID: 19125695, PMID: 20736309).			
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage			


For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of MTMR4 antibody (84328-1-RR; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-MTMR4 transfected Jurkat cells.



Various lysates were subjected to SDS PAGE followed by western blot with 84328-1-RR (MTMR4 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepC2 cells using MTMR4 antibody (84328-1-RR, Clone: 241304E11) at dilution of 1:250 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLI) kinetic assays of 84328-1-RR against Human MTMR4 were performed. The affinity constant is 2.06 nM.