For Research Use Only

C5AR1/CD88 Recombinant antibody

Catalog Number:84336-6-RR



Purification Method:

Basic Information Catalog Number: GenBank Accession Number:

84336-6-RR NM_001736.4 Protein A purfication

Size: GeneID (NCBI): CloneNo.: 1000 μ g/ml 728 241712G8

Source: UNIPROT ID: Recommended Dilutions: Rabbit P21730 WB 1:500-1:1000

Isotype: Full Name: IF/ICC 1:125-1:500

IgG complement component 5a receptor 1

Calculated MW: 39kDa

Applications Tested Applications: Positive Controls:

WB, IF/ICC, ELISA WB: U-937 cells, U-87 MG cells

Species Specificity: IF/ICC : THP-1 cells,

Background Information

C5aR, also named CD88, is a G protein-coupled receptor for the anaphylatoxin C5a, a cleavage product of the complement cascade. The C5a ligand is a proinflammatory component of host defense. C5aR is activated upon binding of the C5a molecule. Receptor activation stimulates chemotaxis, granule enzyme release, intracellular calcium release, and superoxide anion production. The deduced sequence of C5aR contains 350 amino acids, giving a calculated molecular weight of 39 kDa. C5aR has an N-linked glycosylation site in the N-terminal extracellular domain. The apparent molecular weight of C5aR is about 40-52 kDa (PMID: 1847994; 9136907; 9136907; 2007135).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 84336-6-RR (C5AR1/CD88 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed THP-1 cells using C5AR1/CD88 antibody (84336-6-RR, Clone: 241712G8) at dilution of 1:250 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).