For Research Use Only

Phospho-PLCG2 (Tyr1217) Recombinant antibody

Catalog Number:84456-1-RR




Basic Information	Catalog Number: 84456-1-RR	GenBank Accession Number: BC007565	Purification Method: Protein A purfication
	Size: 1000 ug/ml	GenelD (NCBI): 5336	CloneNo.: 240631F2
	Source: Rabbit	UNIPROT ID: P16885	Recommended Dilutions: WB 1:500-1:2000
	Isotype: IgG	Full Name: phospholipase C, gamma 2 (phosphatidylinositol-specific) Calculated MW: 148 kDa	
		Applications	Tested Applications: WB, ELISA Species Specificity: human
WB : perva	anadate treated Ramos cells,		
Background Information	Phospholipase C gamma 2 (PLCG2) belongs to the family of phospholipase C-gamma, which is the downstream molecule of the CSF1R. Previous studies have demonstrated that PLCG2 was required for CSF1-induced differentiation of monocytes, microglia, immune, inflammatory responses. PLCG2 phosphorylation leads to an increase in production of the cellular signaling molecules, diacylglycerol (DAG), and inositol 1,4,5 trisphosphate (IP3), which further promotes a wide range of downstream signals, including the phosphorylation of protein kinase C (PKC) family members, such as PKC epsilon (PKC ϵ). (PMID: 32522286)		
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Non-treated and pervanadate treated Ramos cells were subjected to SDS PAGE followed by western blot with 84456-1-RR (Phospho-PLCG2 (Tyr1217) antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with Lamin B1 (66095-1-lg) antibody as a loading control.