For Research Use Only

## FADS2-Specific Recombinant antibody

Catalog Number:84527-5-RR



**Basic Information** 

Catalog Number: GenBank Accession Number:

BC009011

**Purification Method:** Protein A purfication

84527-5-RR Size:

GeneID (NCBI):

CloneNo.:

1000 µg/ml

241863G3

Source:

**UNIPROT ID:** 095864

Recommended Dilutions:

Rabbit Isotype:

Full Name:

IF/ICC 1:125-1:500

fatty acid desaturase 2

Immunogen Catalog Number:

Calculated MW:

445 aa, 49 kDa

**Applications** 

**Tested Applications:** 

IF/ICC, ELISA

Species Specificity: human

Positive Controls: IF/ICC: HepG2 cells,

**Background Information** 

Fatty acid desaturase 2 (FADS2) is responsible for the first desaturation reaction in the synthesis of highly unsaturated fatty acids (HUFAs), such as arachidonic acid (20:4n-6) and eicosapentaenoic acid (20:5n-3), and is involved in Mead acid (20:3n-9) production during essential fatty acid deficiency (EFAD) (PMID: 29353041). This is important when temperatures changes and the membrane is under distress. It has 4 isoforms and can be detected as 46-52 kDa.

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using FADS2-Specific antibody (84527-5-RR, Clone: 241863G3) at dilution of 1:250 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Biolayer interferometry (BLL) kinetic assays of 84527-5-RR against Human FADS2-Specific were performed. The affinity constant is below 1 pM.