

For Research Use Only

CORO1A Recombinant antibody, PBS Only

Catalog Number: 84602-5-PBS



Basic Information

Catalog Number:	84602-5-PBS	GenBank Accession Number:	BC110374	Purification Method:	Protein A purification
Size:	1 mg/ml	GeneID (NCBI):	11151	CloneNo.:	242027H5
Source:	Rabbit	UNIPROT ID:	P31146		
Isotype:	IgG	Full Name:	coronin, actin binding protein, 1A		
Immunogen Catalog Number:	AG12139	Calculated MW:	461 aa, 51 kDa		
		Observed MW:	57 kDa		

Applications

Tested Applications:
WB, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity:
human, mouse, rat

Background Information

CORO1A also known as TACO, belongs to the WD repeat coronin family. CORO1A is recruited to phagosomes and actively retained by surviving mycobacteria and is usually released before phagosome fusion with or maturation into lysosomes. CORO1A is expressed in the brain, thymus, spleen, bone marrow, and lymph nodes. Mutations in CORO1A cause Immunodeficiency 8 with Lymphoproliferation (IMD8)(PMID: 10338208).

Storage

Storage:
Store at -80°C.
The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 84602-5-RR (CORO1A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84602-5-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using CORO1A antibody (84602-5-RR, Clone: 242027H5) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). This data was developed using the same antibody clone with 84602-5-PBS in a different storage buffer formulation.



1x10⁶ Jurkat cells were intracellularly stained with 0.25 ug CORO1A Recombinant antibody (84602-5-RR, Clone:242027H5) and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 84602-5-PBS in a different storage buffer