## For Research Use Only

## IARS2 Recombinant antibody

Catalog Number:84764-5-RR



**Purification Method:** 

Protein A purfication

Recommended Dilutions:

WB 1:5000-1:50000 IF/ICC 1:250-1:1000

CloneNo.:

242219G4

**Basic Information** 

Catalog Number: GenBank Accession Number:

 84764-5-RR
 BC010218

 Size:
 GeneID (NCBI):

 1000 ug/ml
 55699

 Source:
 UNIPROT ID:

 Rabbit
 Q9NSE4

 Isotype:
 Full Name:

gG isoleucyl-tRNA synthetase 2, mitochondrial

Immunogen Catalog Number: mitochondrial
AG10696 Calculated MW:
1012 aa, 114 kDa

Observed MW: 114 kDa

**Applications** 

Tested Applications:

WB, IF/ICC, ELISA

Positive Controls:

WB: HeLa cells, HEK-293 cells, MCF-7 cells, Jurkat cells

Species Specificity: IF/ICC : HeLa cells, HepG2 cells

Hui

## **Background Information**

Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. Because of their central role in linking amino acids with nucleotide triplets contained in tRNAS, aminoacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. Two forms of isoleucine-tRNA synthetase exist, a cytoplasmic form and a mitochondrial form. This gene encodes the mitochondrial isoleucine-tRNA synthetase which belongs to the class-I aminoacyl-tRNA synthetase family.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 84764-5-RR (IARS2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using IARS2 antibody (84764-5-RR, Clone: 242219G4) at dilution of 1:500 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using IARS2 antibody (84764-5-RR, Clone: 242219G4) at dilution of 1:500 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using IARS2 antibody (84764-5-RR, Clone: 242219G4) at dilution of 1:500 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).



Biolayer interferometry (BLI) kinetic assays of 84764-5-RR against Human IARS2 were performed. The affinity constant is 0.154 nM.