## For Research Use Only

## RIG-1/DDX58 Recombinant antibody

Catalog Number:84861-5-RR



**Purification Method:** 

Protein A purfication

Recommended Dilutions:

WB 1:5000-1:50000 IF/ICC 1:200-1:800

CloneNo.:

242424E7

**Basic Information** 

Catalog Number: GenBank Accession Number: 84861-5-RR BC132786

Concentration: GeneID (NCBI): 1000 μg/ml 23586 **UNIPROT ID:** Source: Rabbit 095786 Full Name: Isotype:

DEAD (Asp-Glu-Ala-Asp) box polypeptide 58

AG18585 Calculated MW: 925 aa, 106 kDa

Immunogen Catalog Number:

Observed MW: 101~106 kDa

**Applications** 

**Tested Applications:** Positive Controls: WB, IF/ICC, ELISA WB: A431 cells, THP-1 cells, HeLa cells, MCF-7 cells

Species Specificity: IF/ICC: A431 cells,

## **Background Information**

DDX58, also named as RIG-1, belongs to the helicase family. It is involved in innate immune defense against  $viruses.\ Upon interaction\ with intracellular\ ds RNA\ produced\ during\ viral\ replication,\ triggers\ a\ transduction\ cascade$ involving MAVS/IPS1, which results in the activation of NF-kappa-B, IRF3 and IRF7 and the induction of the expression of antiviral cytokines such as IFN-beta and RANTES (CCL5). Detects dsRNA produced from non-self dsDNA by RNA polymerase III, such as Epstein-Barr virus-encoded RNAs (EBERs). It is essential for the production of interferons in response to RNA viruses including paramyxoviruses, influenza viruses, Japanese encephalitis virus and HCV. The antibody is specific to DDX58.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




A431 cells were subjected to SDS PAGE followed by western blot with 84861-5-RR (RIG-1/DDV58 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 84861-5-RR (RIG-1/DDX58 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using RIG-1/DDX58 antibody (84861-5-RR, Clone: 242424E7) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLI) kinetic assays of 84861-5-RR against Human RIG-1/DDX58 were performed. The affinity constant is below 1 pM.