

For Research Use Only

NNMT Recombinant antibody

Catalog Number: 84876-5-RR



Basic Information

Catalog Number:

84876-5-RR

Size:

1000 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7197

GenBank Accession Number:

BC000234

GeneID (NCBI):

4837

UNIPROT ID:

P40261

Full Name:

nicotinamide N-methyltransferase

Calculated MW:

30 kDa

Observed MW:

30 kDa

Purification Method:

Protein A purification

CloneNo.:

242394B7

Recommended Dilutions:

WB 1:2000-1:10000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

Applications

Tested Applications:

WB, FC (Intra), IP, ELISA

Species Specificity:

human, rat

Positive Controls:

WB : L02 cells, SGC-7901 cells, rat liver tissue

IP : L02 cells,

Background Information

NNMT can catalyze the N-methylation of nicotinamide using the universal methyl donor S-adenosyl-L-methionine to form N1-methylnicotinamide and S-adenosyl-L-homocysteine, a predominant nicotinamide/vitamin B3 clearance pathway (PMID: 21823666; 23455543; 8182091).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 84876-5-RR (NNMT antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



1x10⁶ HepG2 cells were intracellularly stained with 0.25 ug NNMT Recombinant antibody (84876-5-RR, Clone:242394B7) and APC-Conjugated Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



IP result of anti-NNMT (IP:84876-5-RR, 4ug; Detection:84876-5-RR 1:1500) with L02 cells lysate 1120 ug.



Biolayer interferometry (BLI) kinetic assays of 84876-5-RR against Human NNMT were performed. The affinity constant is 0.824 nM.