For Research Use Only

ALR Recombinant antibody, PBS Only

Catalog Number:84972-4-PBS




Basic Information	Catalog Number: 84972-4-PBS	GenBank Accession Number: BC028348	Purification Method: Protein A purification
	Concentration: 1000 µg/ml	GenelD (NCBI): 2671	CloneNo.: 242557G3
	Source: Rabbit	UNIPROT ID: P55789	
	Isotype: IgG Immunogen Catalog Number: AG1840	Full Name: growth factor, augmenter of liver regeneration Calculated MW: 15 kDa, 23 kDa	
		Applications	Tested Applications: WB, FC (Intra), Indirect ELISA
Species Specificity: human, mouse, rat			
Background Information	GFER (FAD-linked sulfhydryl oxidase) is also named as ALR, HERV1, HPO. It plays an important role in the disulfide relay system (DRS) in human mitochondria. The GFER gene codes for 2 distinct isoforms that are probably synthesized from the same mRNA with the use of different initiation codons. The long isoform (205 amino acids, 23/21 kD) is located mainly in the mitochondrial intermembrane space and exists under nonreducing and nondenaturing conditions as a homodimer and a heterodimer. The shorter isoform (125 amino acids, 15 kD), which lacks 80 amino acids at its N terminus compared to the longer isoform, is present predominantly in the nucleus (PMID: 19409522, 24880092, 21152698).		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	icks. Upon receipt, store it immediatel	y at -80°C


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 84972-4-RR (GFER antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84972-4-PBS in a different storage buffer formulation.



1x10^6 HepG2 cells were intracellularly stained with 0.25 ug ALR Recombinant antibody (84,972-4-RR, Clone:24,2557G3) and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 24,0953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 84,972-4-PBS in a different storage buffer



Biolayer interferometry (BLL) kinetic assays of 84972-4-RR against Human ALR were performed. The affinity constant is 0.23 nM.