For Research Use Only

PDIA3 Recombinant antibody, PBS Only

Catalog Number:85087-5-PBS


Proteintech® Antibodies | ELISA kits | Proteins Uni-rAb www.ptglab.com


Basic Information	Catalog Number: 85087-5-PBS	GenBank Accession Number: BC014433	Purification Method: Protein A purification
	Concentration: 1 mg/ml	Genel D (NCBI): 2923	CloneNo.: 242735H7
	Source: Rabbit	UNIPROT ID: P30101	
	lsotype: lgG Immunogen Catalog Number: AG8741	Full Name: protein disulfide isomerase family A, member 3	
		Calculated MW: 505 aa, 57 kDa	
		Observed MW: 57 kDa	
Applications	Tested Applications: WB, IHC, FC (Intra), Indirect ELISA		
	Species Specificity: human, mouse, rat		
Background Information	PDIA3, also named as P58, ER60, ERp57, ERp60, ERp61, GRP57, GRP58 and PI-PLC, is a member of the PDI family, participates in the oxidation, reduction, and isomerization of disulfide bonds for correct folding of secretory proteins before modification and transport in the endoplasmic reticulum. It is associated with apoptosis or inhibition of cancer cell growth. PDIA3 was once thought to be a phospholipase; however, it has been demonstrated that this protein actually has protein disulfide isomerase activity. It is thought that complexes of lectins and PDIA3 mediate protein folding by promoting formation of disulfide bonds in their glycoprotein substrates.		
Storage	Storage: Store at -80°C. The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer: PBS Only		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data







Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 85087-5-RR (PDIA3 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 85087-5-PBS in a different storage buffer formulation.



1x10^6 HeLa cells were intracellularly stained with 0.25 ug PDIA3 Recombinant antibody (85087-5-RR, Clone:242735H7) and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 85087-5-PBS in a different storage buffer



Various lysates were subjected to SDS PAGE followed by western blot with 85087-5-RR (PDIA3 antibody) at dilution of 1:10000 incubated at room



Biolayer interferometry (BLl) kinetic assays of 85087-5-RR against Human PDIA3 were performed. The affinity constant is 13.0 nM.