For Research Use Only

Phospho-SMAD1 (Ser187) Recombinant antibody

Catalog Number:85388-4-RR



Purification Method:

Protein A purification

Recommended Dilutions:

WB 1:5000-1:50000

CloneNo.:

250292C10

Basic Information

Applications

Catalog Number: 85388-4-RR

Concentration: 1000 $\,\mu$ g/ml Source:

Isotype:

Tested Applications: WB, ELISA

Species Specificity:

human

Rabbit

52 kDa

Positive Controls:

WB: BMP2 treated HepG2 cells,

Background Information

Transforming growth factor- β (TGF- β) superfamily is recognized as one of the largest families of secreted multifunctional peptides exerting different biological effects on a large variety of cell types, such as regulation of hormone secretion, stimulation of extracellular matrix formation, the inhibition of proliferation of many cell types, $cell \ survival, bone \ formation, and \ chemotax is \ for inflammatory \ cells. \ One \ of \ the \ most \ important \ proteins \ that$ $modulate\ TGF-\beta\ \ ligand\ activity\ is\ the\ SMAD\ family\ proteins.\ SMAD\ 1 is\ one\ of\ the\ receptor-activated\ Smads.\ It's$ also a signal transducers of BMP signaling and binds to several proteins involved in ubiquitin-proteasome system

GenBank Accession Number:

BC001878

4086

Q15797

GeneID (NCBI):

UNIPROT ID:

Full Name:

SMAD family member 1 Calculated MW:


Storage

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Non-treated HepG2 cells and BMP2 treated HepG2 cells were subjected to SDS PAGE followed by western blot with 85388-4-RR (Phospho-SMAD1 (Ser187) antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with GAPDH (60004-1-Ig) antibody as a loading control.