For Research Use Only

Mouse Uromodulin Recombinant antibody, PBS Only

Catalog Number:85597-4-PBS



Purification Method:

Protein A purification

CloneNo.: 242258H4

Basic Information

Catalog Number:

85597-4-PBS

NM_009470.5

Concentration:

1000 \(\mu \) g/ml

22242

Source:

UNIPROT ID:

Rabbit

Q91X17

Isotype:

IgG

Uromodulin

Immunogen Catalog Number: Calculated MW: EG2748 71 kDa

Observed MW:

Applications

Tested Applications: WB, IHC, IF-P, Indirect ELISA

Species Specificity:

mouse

Background Information

Uromodulin, also known as THP (Tamm-Horsfall glycoprotein), is the most abundant protein excreted in the urine under physiological conditions. Uromodulin is synthesized by the kidney and localizes in cells lining the ascending limb of Henle and distal convoluted tubule. Uromodulin is linked to water/electrolyte balance and kidney innate immunity. Also, studies in knockout mice demonstrated that it has a protective role against urinary tract infections and renal stone formation. Mutations in the gene encoding uromodulin lead to rare autosomal dominant diseases, collectively referred to as uromodulin-associated kidney diseases. (PMID: 21654721)

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer.

PBS only


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 85597-4-RR (Umod antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 85597-4-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 85597-4-RR (Uromodulin antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 85597-4-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse kidney tissue using Uromodulin antibody (85597-4-RR, Clone: 242258H4) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 85597-4-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse kidney tissue using Uromodulin antibody (85597-4-RR, Clone: 242258H4) at dilution of 1:200 and Coralite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 85597-4-PBS in a different storage buffer formulation.