

For Research Use Only

Mouse TNC/Tenascin-C Recombinant antibody, PBS Only

Catalog Number: 85821-1-PBS



Basic Information

Catalog Number:

85821-1-PBS

Concentration:

1 mg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG2849

GenBank Accession Number:

N/A

GeneID (NCBI):

21923

UNIPROT ID:

Q80YX1-1

Full Name:

tenascin C

Calculated MW:

232 kDa

Observed MW:

210-230 kDa

Purification Method:

Protein A purification

CloneNo.:

242866C6

Applications

Tested Applications:

WB, Indirect ELISA

Species Specificity:

mouse

Background Information

Tenascin-C (TNC) is a large hexameric extracellular matrix glycoprotein of the tenascin family (PMID: 21818551). It is a multimodular protein containing multiple epidermal growth factor (EGF)-like repeats and fibronectin type III (FN III) domains (PMID: 1719530). Tenascin-C is highly expressed during embryonic development, particularly in the developing central nervous system, around motile cells and at epithelial-mesenchymal interaction sites (PMID: 25738825). In adult tissues, the expression and the distribution of TNC are typically limited under normal physiological conditions. It is upregulated during injury, inflammation, regeneration, and cancer (PMID: 7694605; 25120494). Tenascin-C is a diverse protein that can produce different functions including regulating cell adhesion, migration and proliferation.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



mouse colon tissue were subjected to SDS PAGE followed by western blot with 85821-1-RR (Tnc antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 85821-1-PBS in a different storage buffer formulation.



mouse thymus tissue were subjected to SDS PAGE followed by western blot with 85821-1-RR (Tnc antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 85821-1-PBS in a different storage buffer formulation.