

For Research Use Only

SP7 Recombinant antibody

Catalog Number: 85934-1-RR



Basic Information

Catalog Number:

85934-1-RR

Concentration:

1000 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG29889

GenBank Accession Number:

NM_152860

GeneID (NCBI):

121340

UNIPROT ID:

Q8TDD2

Full Name:

Sp7 transcription factor

Calculated MW:

45 kDa

Observed MW:

45 kDa

Purification Method:

Protein A purification

CloneNo.:

250286C5

Recommended Dilutions:

WB 1:5000-1:50000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

human, mouse, rat

Positive Controls:

WB : Saos-2 cells, U2OS cells, MG-63 cells, Sp2/O cells, mouse spinal cord tissue, mouse testis tissue, rat brain tissue

Background Information

Sp7 is identified in several tissues, including bone, tooth, brain, and the reproductive tract (PMID: 11792318, 33135214, 36881265). In bone, Sp7 is expressed at multiple stages throughout the mesenchymal bone lineage and plays different roles in different osteocytes (PMID: 36881265). SP7 regulates osteoblast differentiation and bone formation through osteoblast target genes by recognizing AT-rich region. In osteocytes, SP7 regulates osteocyte maturation and intracortical remodeling through osteocyte target genes by recognizing TGA(G/T) TCA motif. SP7 also regulates chondrocyte differentiation and endochondral ossification (36881265).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 85934-1-RR (SP7 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Biolayer interferometry (BLI) kinetic assays of 85934-1-RR against Human SP7 were performed. The affinity constant is 1.10 nM.