For Research Use Only

SNAPIN Recombinant antibody

Catalog Number:85949-1-RR



Basic Information	Catalog Number: 85949-1-RR	GenBank Accession Number: BC000761	Purification Method: Protein A purification	
	Concentration: 1000 µg/ml	Genel D (NCBI): 23557	CloneNo.: 250300F4	
	Source: Rabbit	UNIPROT ID: O95295	Recommended Dilutions: WB: 1:5000-1:50000	
	lsotype: IgG	Full Name: SNAP-associated protein		
	Immunogen Catalog Number: AG0101	Calculated MW: 15 kDa Observed MW: 15-18 kDa		
Applications	Tested Applications: WB, ELISA	Positive Controls: WB : HEK-293 cells, A375 cells, SKOV-3 cells, DU 145 cells		
	Species Specificity: human			
		Snapin, a protein of relative molecular weight of 15kd, is implicated in neurotransmission by binding to SNAP-25. Snapin was enriched in neurons and exclusively located on synaptic vesicle membrane, which may be a PKA targe for modulating transmitter release through the cAMP-dependent signal-transduction pathway. This anitbody can recognize the 15-18kd(Monomer) and 30-36kd(Dimer) forms of SNAPIN.		
Background Informati	Snapin was enriched in neurons an for modulating transmitter release	nd exclusively located on synaptic ve e through the cAMP-dependent signal	sicle membrane, which may be a PKA target transduction pathway. This anitbody can	
Background Informati Storage	Snapin was enriched in neurons an for modulating transmitter release	nd exclusively located on synaptic ve e through the cAMP-dependent signal- and 30-36kd(Dimer) forms of SNAPIN.	sicle membrane, which may be a PKA target transduction pathway. This anitbody can	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data

100 kDa-70 kDa-

50 kDa→ 40 kDa→ 30 kDa→

20 kDa-

15 kDa-



Various lysates were subjected to SDS PAGE followed by western blot with 85949-1-RR (SNAPIN antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. Biolayer interferometry (BLL) kinetic assays of 85949-1-RR against Human SNAPIN were performed. The affinity constant is 7.37 nM.