

For Research Use Only

CD22 Recombinant antibody

Catalog Number: 86128-1-RR



Basic Information

Catalog Number:	86128-1-RR	GenBank Accession Number:	NM_001043317.2	Purification Method:	Protein A purification
Concentration:	1000 µg/ml	GenID (NCBI):	12483	CloneNo.:	250078C5
Source:	Rabbit	UNIPROT ID:	P35329-1	Recommended Dilutions:	WB: 1:2000-1:10000 IHC: 1:5000-1:20000
Isotype:	IgG	Full Name:	CD22 antigen		
Immunogen Catalog Number:	EG1324	Calculated MW:	97kDa		
		Observed MW:	120-150 kDa		

Applications

Tested Applications:	Positive Controls:
WB, IHC, ELISA	WB: A20 cells, mouse spleen tissue
Species Specificity:	IHC: mouse spleen tissue,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

CD22, also known as Sialic acid binding Ig-like lectin 2 or BL-CAM (B-lymphocyte cell adhesion molecule), is a 130-140 kDa, B-cell restricted, type I transmembrane glycoprotein belonging to the immunoglobulin gene superfamily. The expression of CD22 is developmentally regulated. It is expressed at low levels in the cytoplasm of pro-B and pre-B cells and present on the cell surface only at mature stages of B-cell differentiation. Cell surface expression is lost during terminal differentiation into plasma cell and after B-cell activation. CD22 is an inhibitory receptor for B-cell receptor (BCR) signalling, preferentially binds to alpha-2,6-linked sialic acid and mediates B-cell B-cell interactions. It plays a crucial role in activation and differentiation of the B-cell.


Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 86128-1-RR (CD22 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using 86128-1-RR (CD22 antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using 86128-1-RR (CD22 antibody) at dilution of 1:10000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLI) kinetic assays of 86128-1-RR against Mouse CD22 were performed. The affinity constant is 14.8 nM.