

For Research Use Only

Mouse Angiotensinogen/AGT Recombinant antibody, PBS Only

Catalog Number: 86134-1-PBS



Basic Information

Catalog Number: 86134-1-PBS	GenBank Accession Number: N/A	Purification Method: Protein A purification
Concentration: 1 mg/ml	GeneID (NCBI): 11606	CloneNo.: 250570F8
Source: Rabbit	UNIPROT ID: P11859	
Isotype: IgG	Full Name: angiotensinogen (serpin peptidase inhibitor, clade A, member 8)	
Immunogen Catalog Number: EG2763	Calculated MW: 52 kDa	
	Observed MW: 52-55 kDa	

Applications

Tested Applications:
WB, Indirect ELISA

Species Specificity:
mouse, rat

Background Information

Angiotensinogen is a precursor of angiotensin II (Ang II), is expressed and synthesized largely in the liver and is cleaved by the enzyme renin in response to lowered blood pressure. It has a key role in mediating vascular constriction and regulating salt and fluid homeostasis. The resulting product, angiotensin I, is then cleaved by angiotensin converting enzyme (ACE) to generate the physiologically active enzyme angiotensin II. Mutations in this gene are associated with susceptibility to essential hypertension, and can cause renal tubular dysgenesis, a severe disorder of renal tubular development. Defects in this gene have also been associated with non-familial structural atrial fibrillation, and inflammatory bowel disease.

Storage

Storage:
Store at -80°C.
The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:
PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 86134-1-RR (Agt antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 86134-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 86134-1-RR (Agt antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 86134-1-PBS in a different storage buffer formulation.