For Research Use Only

## TP63 Recombinant antibody, PBS Only

Catalog Number:86154-1-PBS





Basic Information	Catalog Number: 86154-1-PBS	GenBank Accession Number: BC039815	Purification Method: Protein A purification
	Concentration: 1 mg/ml	GeneID (NCBI): 8626	CloneNo.: 250042G4
	Source: Rabbit	UNIPROT ID: Q9H3D4	
	lsotype: IgG	Full Name: tumor protein p63	
	Immunogen Catalog Number: AG2791	Calculated MW: 680 aa, 77 kDa	
		Observed MW: 63-68 kDa	
Applications	Tested Applications: WB, IHC, Indirect ELISA		
	Species Specificity: human, mouse		
Background Information	TP63, also named KET, P63, P73H, P73L and TP73L, belongs to the p53 family. It is a homologue of the tumor suppressor p53 and p73 genes. It is involved in malignancy acquisition and maintenance of cells. Unlike p53, the p63 gene encodes multiple isotypes with remarkably divergent abilities to transactivate p53 reporter genes and induce apoptosis. TP63 acts as a sequence specific DNA binding transcriptional activator or repressor. TP63 has 12 isoforms with MW 40kd(P40), 50kd(P60),63kd(P63) and 73kd(P73L).		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer:	cks. Upon receipt, store it immediatel	y at -80°C

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 86154-1-RR (TP63 antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 86154-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 86154-1-RR against Human TP63 were performed. The affinity constant is below 1 pM.

Various lysates were subjected to SDS PAGE followed by western blot with 86154-1-RR (TP63 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 86154-1-PBS in a different storage buffer formulation.