For Research Use Only

ATP5H Recombinant antibody

Catalog Number:86174-2-RR



Purification Method:

Protein A purification

Basic Information

Catalog Number: GenBank Accession Number: 86174-2-RR BC032245

Concentration: GenelD (NCBI): CloneNo.: $1000 \ \mu \ g/ml$ 10476 250751G4

 Source:
 UNIPROT ID:
 Recommended Dilutions:

 Rabbit
 075947
 WB: 1:5000-1:50000

 Isotype:
 Full Name:
 IF/ICC: 1:250-1:1000

IgG ATP synthase, H+ transporting,
mitochondrial F0 complex, subunit d

Immunogen Catalog Number: mitochondrial F0 complex, subunit d
AG11429 Calculated MW:

137 aa, 16 kDa Observed MW: 19-22 kDa

Applications Tested Applications:

WB; IF/ICC, ELISA

WB: HepG2 cells, Jurkat cells, Ramos cells, SK-BR-3

Species Specificity:
cells, PANC-1 cells, mouse liver tissue, rat liver tissue
human, mouse, rat

Positive Controls:

iF/ICC : HepG2 cells,

Background Information

Mitochondrial membrane ATP synthase (F1-Fo ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. It is composed of the soluble catalytic core, F1, and the membrane-spanning component and Fo, which comprises the proton channel. The Fo seems to have nine subunits (a, b, c, d, e, f, g, F6 and 8). ATP5H gene encodes ATP synthase subunit d of the Fo complex.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 86174-2-RR (ATP5H antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using ATP5H antibody (86174-2-RR, Clone: 250751G4) at dilution of 1:500 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).