

CD13 Recombinant monoclonal antibody

Catalog Number: 86620-3-RR

Basic Information

Catalog Number: 86620-3-RR	GenBank Accession Number: BC058928	Purification Method: Protein A purification
Source: Rabbit	GeneID (NCBI): 290	CloneNo.: 251501F8
Isotype: IgG	ENSEMBL Gene ID: ENSG00000166825	Recommended Dilutions: WB: 1:2000-1:10000 IHC: 1:50-1:500 IF/ICC: 1:250-1:1000
Immunogen Catalog Number: EG3748	UNIPROT ID: P15144	
	Full Name: alanyl (membrane) aminopeptidase	
	Calculated MW: 110 kDa	
	Observed MW: 150 kDa	

Applications

Tested Applications:
WB, IHC, IF/ICC, ELISA

Species Specificity:
human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : A-204 cells, PANC-1 cells, mouse kidney tissue

IHC : human kidney tissue,

IF/ICC : THP-1 cells,

Background Information

CD13, also named as APN, ANPEP (aminopeptidase N) or PEPN, is belongs to the peptidase M1 family. CD13 is a heavily glycosylated, ~150-240 kDa, type-II membrane, expressed by most cells of myeloid origin including monocytes, macrophages, granulocytes, and their hematopoietic precursors. It is also abundantly expressed in the brush border of epithelial cells from renal proximal tubules and small intestine, in prostatic epithelial cells, in bile duct canaliculi, in mast cells, and, in some cases, in fibroblasts and smooth muscle cells. CD13 is a multifunctional protein and plays varying roles in cell migration, cell proliferation, cell differentiation and so on. CD13 participates in angiogenesis generating and modulating angiogenic signals, and can be a marker of angiogenic vessels. CD13 is also a pan-myeloid marker, present on mature granulocytes and monocytes. (PMID: 8805662, 10098327, 18603472, 18097955, 17897790, 17888402, 21339174)

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 86620-3-RR (CD13 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human kidney tissue slide using 86620-3-RR (CD13 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



PANC-1 cells were subjected to SDS PAGE followed by western blot with 86620-3-RR (CD13 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed THP-1 cells using CD13 antibody (86620-3-RR, Clone: 251501F8) at dilution of 1:500 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).