

For Research Use Only

# Phospho-EGFR (Tyr1172) Recombinant monoclonal antibody

Catalog Number:87164-1-RR



## Basic Information

<b>Catalog Number:</b> 87164-1-RR	<b>GenBank Accession Number:</b> BC094761	<b>Purification Method:</b> Protein A purification
<b>Source:</b> Rabbit	<b>GeneID (NCBI):</b> 1956	<b>CloneNo.:</b> 252172E10
<b>Isotype:</b> IgG	<b>UNIPROT ID:</b> P00533	<b>Recommended Dilutions:</b> WB: 1:2000-1:10000 IF/ICC: 1:500-1:2000
	<b>Full Name:</b> epidermal growth factor receptor (erythroblastic leukemia viral (v-erb- b) oncogene homolog, avian)	
	<b>Calculated MW:</b> 1210 aa, 134 kDa	
	<b>Observed MW:</b> 175 kDa	

## Applications

<b>Tested Applications:</b> WB, IF/ICC, ELISA	<b>Positive Controls:</b>
<b>Species Specificity:</b> human	<b>WB :</b> EGF treated A431 cells, Serum-free treated and EGF treated A431 cells <b>IF/ICC :</b> EGF treated A431 cells,

## Background Information

ERBB1, also named as EGFR, is a receptor for EGF, but also for other members of the EGF family, as TGF-alpha, amphiregulin, betacellulin, heparin-binding EGF-like growth factor, GP30 and vaccinia virus growth factor. Phospho-EGFR (Tyr1172) is a phosphorylated form of the epidermal growth factor receptor (EGFR), which is a transmembrane glycoprotein receptor that belongs to the ErbB family of receptor tyrosine kinases (RTKs). This phosphorylation event is significant as it activates downstream signaling cascades that regulate various cellular processes, including cell growth, proliferation, and survival. Some scientists call EGFR Tyr1172 as EGFR Tyr1148, the site where the signaling peptide is removed.

## Storage

**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol, pH7.3  
**Aliquoting is unnecessary for -20°C storage**

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data



Non-treated A431 cells, Serum-free treated and EGF treated A431 cells were subjected to SDS PAGE followed by western blot with 87164-1-RR (Phospho-EGFR (Tyr1172) antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with Vinculin (86930-1-RR) antibody as a loading control.



In the full-length versus signal-peptide-removed forms, nomenclature differs but the modification site is conserved.



Immunofluorescent analysis of (4% PFA) fixed EGF treated A431 cells using Phospho-EGFR (Tyr1172) antibody (87164-1-RR, Clone: 252172E10) at dilution of 1:1000 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).