

For Research Use Only

# Mouse CD239/BCAM Recombinant monoclonal antibody, PBS Only

Catalog Number:87430-1-PBS



## Basic Information

<b>Catalog Number:</b> 87430-1-PBS	<b>GenBank Accession Number:</b> NM_020486.2	<b>Purification Method:</b> Protein A purification
<b>Source:</b> Rabbit	<b>GeneID (NCBI):</b> 57278	<b>CloneNo.:</b> 251702A10
<b>Isotype:</b> IgG	<b>UNIPROT ID:</b> Q9R069	
<b>Immunogen Catalog Number:</b> EG6306	<b>Full Name:</b> basal cell adhesion molecule	
	<b>Calculated MW:</b> 68 kDa	
	<b>Observed MW:</b> 67 kDa, 78-85 kDa	

## Applications

**Tested Applications:**  
WB, Indirect ELISA

**Species Specificity:**  
mouse, rat

## Background Information

Basal cell adhesion molecule (Lu/BCAM) is a membrane-bound glycoprotein of the immunoglobulin superfamily (IgSF), functioning as a receptor for the extracellular matrix protein, laminin. BCAM (Lutheran/basal cell-adhesion molecule, a glycoprotein) belongs to the immunoglobulin superfamily which contains both Lu blood group and BCAM tumor-associated antigens. Proteomics analysis suggests that BCAM might be a potential biomarker for pancreatic cancer (PMID: 19199705). BCAM, involved in cell adhesion and migration, can also promote tumor metastasis and has been elucidated to play a functional role in the metastasis of thyroid cancer and gastric cancer (PMID: 10728810, 35941663). De-glycosylated BCAM has a predicted molecular weight of 67 kDa. Two BCAM glycoprotein (gp) isoforms are present on human RBCs, Lu (85 kDa) and Lu(v13) (78 kDa); they result from the alternative splicing of intron 13 and differ by the lengths of their cytoplasmic domains (PMID: 23160466).

## Storage

**Storage:**  
Store at -80°C.  
**The product is shipped with ice packs. Upon receipt, store it immediately at -80°C**

**Storage Buffer:**  
PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 87430-1-RR (CD239/BCAM antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 87430-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 87430-1-RR against Mouse CD239/BCAM were performed. The affinity constant is 4.73 nM.