

For Research Use Only

DKK3 Recombinant monoclonal antibody, PBS Only

Catalog Number: 87713-1-PBS



Basic Information

Catalog Number:

87713-1-PBS

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG6731

GenBank Accession Number:

NM_015881.5, NM_013253.4,
NM_001018057.1

GeneID (NCBI):

27122

UNIPROT ID:

Q9UBP4

Full Name:

dickkopf homolog 3 (Xenopus laevis)

Calculated MW:

38 kDa

Observed MW:

38-55 kDa

Purification Method:

Protein A purification

CloneNo.:

253091C12

Applications

Tested Applications:

WB, Indirect ELISA

Species Specificity:

human

Background Information

DKK3, also named as REIC, belongs to the dickkopf family. It antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6. DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation. In the adult, Dkks are implicated in bone formation and bone disease, cancer and Alzheimer's disease. The adenovirus carrying REIC/Dkk-3 (Ad-REIC) exhibits a potent tumor-specific cell-killing function for various human cancers. It has also become evident that some human cancers are resistant to Ad-REIC-induced apoptosis. The DKK3 is a Glycosylation protein with MW about 55 kDa or 38-43 kDa.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 87713-1-RR (DKK3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 87713-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 87713-1-RR against Human DKK3 were performed. The affinity constant is 6.51 nM.