For Research Use Only

## Anti-Human CD200 Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98007-2-PBS



**Basic Information** 

Catalog Number: GenBank Accession Number: 98007-2-PBS BC022522

Concentration: GeneI D (NCBI): 1mg, 2 mg/ml 4345

Rabbit P41217
Isotype: Full Name:
IgG CD200 molecule

Calculated MW: 269 aa, 30 kDa

UNIPROT ID:

Purification Method: Protein A purification

CloneNo.: 230268E11

Recommended Dilutions:

FC: 0.25 ug per 10^6 cells in 100  $\,\mu$  l

suspension

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

human

Source:

Positive Controls:

FC: human PBMCs,

## **Background Information**

CD200, also known as OX2, is a type I transmembrane glycoprotein that belongs to the immunoglobulin superfamily (PMID: 3032785). It contains two extracellular immunoglobulin domains, a transmembrane and a cytoplasmic domain. CD200 is expressed on a variety of cell types, including thymocytes, B lymphocytes, a subset of T lymphocytes, follicular dendritic cells, neurons, and endothelial cells (PMID: 3032785; 10981966). CD200 binds to its receptor, CD200R, which is primarily expressed by myeloid and T cell lineage (PMID: 15187158). The CD200-CD200R interaction plays a role in immunosuppression and suppression of anti-tumor immune responses (PMID: 2020332).

Storage


Storage:

Store at -80°C. Stable for one year after shipment.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS only, pH7.3

## Selected Validation Data



1x10^6 human PBMCs were surface stained with 0.25 ug Anti-Human CD200 (98007-2-PBS, Clone:230268E6) or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) and PE-conjugated Goat Anti-Rabbit IgG. Cells were then stained with APC Anti-Human CD19 (HIB19) (APC-65110, Clone: HIB19). Cells were not fixed. Lymphocytes were gated.