For Research Use Only

Anti-Human CD324 (E-cadherin) Rabbit Recombinant Antibody

www.ptglab.com

Catalog Number: 98030-2-RR

Basic Information

Catalog Number:

98030-2-RR

Isotype:

Size: 100ug, 1000 ug/ml

Source: Rabbit

Immunogen Catalog Number:

Calculated MW:

882 aa, 97 kDa

(epithelial)

BC141838

GeneID (NCBI):

UNIPROT ID:

P12830 Full Name:

GenBank Accession Number:

cadherin 1, type 1, E-cadherin

Purification Method: Protein A purfication

CloneNo.: 240159B4

Applications

Tested Applications:

Species Specificity:

Background Information

Cadherins are a family of transmembrane glycoproteins that mediate calcium-dependent cell-cell adhesion and play an important role in the maintenance of normal tissue architecture. E-cadherin (epithelial cadherin), also known as CD324, CDH1 (cadherin 1) or CAM 120/80, is a classical member of the cadherin superfamily which also include N-, P-, R-, and B-cadherins. E-cadherin is expressed on the cell surface in most epithelial tissues. The extracellular region of E-cadherin establishes calcium-dependent homophilic trans binding, providing specific interaction with adjacent cells, while the cytoplasmic domain is connected to the actin cytoskeleton through the interaction with p120-, $\,\alpha$ -, $\,\beta$ -, and $\,\gamma$ -catenin (plakoglobin). E-cadherin is important in the maintenance of the epithelial integrity, and is involved in mechanisms regulating proliferation, differentiation, and survival of epithelial cell. E-cadherin may also play a role in tumorigenesis. It is considered to be an invasion suppressor protein and its loss is an indicator of high tumor aggressiveness.


Storage

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

Selected Validation Data



1x10^6 MCF-7 cells were surface stained with 0.25 ug Anti-Human CD324 (E-cadherin) Rabbit Recombinant Antibody (98030-2-RR, Clone:240159B4) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells should be stained prior to fixation.



Biolayer interferometry (BLL) kinetic assays of 98030-2-RR against Human E-cadherin were performed. The affinity constant is 0.204 nM.