For Research Use Only

## Anti-Mouse CD84 Rabbit Recombinant Antibody, PBS Only



Catalog Number: 98076-1-PBS

**Basic Information** 

Catalog Number: 98076-1-PBS

Size: 1mg, 2 mg/ml Source: Rabbit Isotype:

GenBank Accession Number:

GeneID (NCBI): 12523 **UNIPROT ID:** Q18PI6-1 Full Name: CD84 antigen Calculated MW: 37 kDa

**Purification Method:** Protein A purfication

CloneNo.: 240903B8

**Applications** 

**Tested Applications:** 

Species Specificity:

mouse

## **Background Information**

CD84, also known as SLAMF5, is a member of the CD2 subfamily of the immunoglobulin receptor superfamily  $(PMID: 9310491). \ CD84 is a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains, a single-chain type-I glycoprotein composed of two extracellular Ig-like domains in the single-chain type-I glycoprotein composed of two extracellular Ig-like domains in the single-chain type-I glycoprotein composed of two extracellular Ig-like domains in the single-chain type-Ig-like domain type-Ig-like domain type-Ig-like domain type-Ig-like domain type-Ig-like domain type$ hydrophobic transmembrane region, and a cytoplasmic domain. It is broadly expressed on almost all leukocyte subsets. CD84 functions as a homophilic adhesion molecule, whose signaling can activate or inhibit leukocyte function depending on the cell type and its stage of activation or differentiation (PMID: 30522694).


Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


## **Selected Validation Data**



1x10^6 mouse splenocytes were surface stained with 0.25 ug Anti-Mouse CD84/SLAMF5 Rabbit Recombinant Antibody (98076-1-RR, Clone:24090388) and PE-Conjugated AffiniPure Goat Anti-Rabbit IgG (H+L), or Isotype Control. Cells were then stained with Coralite® Plus 647 Anti-Mouse CD4. Cells were not fixed. This data was developed using the same antibody clone with 98076-1-PBS in a different storage buffer formulation



1x10^6 mouse splenocytes were surface stained with 0.25 ug Anti-Mouse CD84/SLAMF5 Rabbit Recombinant Antibody (98076-1-RR, Clone:24090388) and PE-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or Isotype Control(blue). Cells were not fixed. This data was developed using the same antibody clone with 98076-1-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 98076-1-RR against Mouse CD84/SLAMF5 were performed. The affinity constant is 0.297 nM.