

For Research Use Only

# Anti-Human CD69 Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98173-2-PBS



## Basic Information

Catalog Number: 98173-2-PBS	GenBank Accession Number: NM_001781.2	Purification Method: Protein A purification
Concentration: 1mg, 2 mg/ml	GeneID (NCBI): 969	CloneNo.: 241552G10
Source: Rabbit	UNIPROT ID: Q07108	
Isotype: IgG	Full Name: CD69 molecule	
Immunogen Catalog Number: EG1791	Calculated MW: 23 kDa	

## Applications

Tested Applications:  
FC

Species Specificity:  
human, monkey, non-human primates

## Background Information

CD69, also known as AIM, EA-1, Leu-23, and MLR3, is a type II transmembrane glycoprotein that belongs to the C-type lectin superfamily (PMID: 8340758; 7804122). CD69 is constitutively expressed by mature thymocytes, platelets, several subsets of tissue resident immune cells (including resident memory T cells and gamma delta T cells), and is inducibly expressed by activated T cells, B cells, natural killer (NK) cells, monocytes, neutrophils (PMID: 8100776; 28475283). CD69 has been identified as an early activation marker of lymphocytes and is commonly used as a marker of activated lymphocytes and NK cells (PMID: 28475283; 25759842). It is involved in the regulation of immune responses (PMID: 15745855).

## Storage

Storage:  
Store at -80°C.  
**The product is shipped with ice packs. Upon receipt, store it immediately at -80°C**

Storage Buffer:  
PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




1x10<sup>6</sup> untreated or PHA-treated human PBMCs were surface stained with 0.25 ug Anti-Human CD69 Rabbit Recombinant Antibody (98173-2-RR, Clone: 241552F1) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with APC Anti-Human CD4 (RPA-T4). Cells were not fixed. This data was developed using the same antibody clone with 98173-2-PBS in a different storage buffer formulation.



1x10<sup>6</sup> cynomolgus PBMCs were surface stained with 0.25 ug Anti-Human CD69 Rabbit RecAb (98173-2-RR, Clone: 241552G10) (red) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-conjugated Goat Anti-Rabbit IgG. Cells were not fixed. This data was developed using the same antibody clone with 98173-2-PBS in a different storage buffer formulation.



1x10<sup>6</sup> PHA-treated human PBMCs were surface stained with 0.25 ug Anti-Human CD69 Rabbit Recombinant Antibody (98173-2-RR, Clone: 241552F1) (red) or 0.25 ug Isotype Control (blue) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). 1x10<sup>6</sup> untreated human PBMCs were surface stained with 0.25 ug Anti-Human CD69 Rabbit Recombinant Antibody (98173-2-RR, Clone:241552F1)(black, dashed) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were incubated with FC Receptor Block



1x10<sup>6</sup> Cnyo PBMCs were surface stained with 0.25 ug Anti-Human CD69 Rabbit RecAb (98173-2-RR, Clone:241552G10) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9), and PE-conjugated Goat Anti-Rabbit IgG. Cells were not fixed. This data was developed using the same antibody clone with 98173-2-PBS in a different storage buffer formulation.