For Research Use Only

Anti-Human Siglec-8 Rabbit Recombinant Antibody, PBS Only

Catalog Number:98177-1-PBS




| Catalog Number: 98177-1-PBS | GenBank Accession Number: BC053319 | Purification Method: Protein A purfication |
|---|---|--|
| Concentration: 1mg, 2 mg/ml | Genel D (NCBI): 27181 | CloneNo.: 241275A5 |
| Source: Rabbit | UNIPROT ID: Q9NYZ4 | |
| lsotype: IgG | Full Name: sialic acid binding Ig-like lectin 8 | |
| | Calculated MW: 499 aa, 54 kDa | |
| Tested Applications: FC | | |
| Species Specificity: human | | |
| Sialic acid-binding Ig-like lectin 8 (Siglec-8), also known as SAF2, is a sialic acid-binding immunoglobulin-like lectin that belongs to the SIGLEC family of the Ig superfamily (PMID: 10856141). Siglec-8 is a single-pass transmembrane protein containing three extracellular immunoglobulin-like domains, a transmembrane region, and a cytoplasmic tail (PMID: 10625619). It is an inhibitory receptor selectively expressed on human mast cells and eosinophils, and at low levels on basophils (PMID: 10856141; 33374255). Engagement of Siglec-8 with antibody results in inhibiting IgE-mediated mast cell responses and reducing allergic inflammation (PMID: 32814824). | | |
| Storage: Store at -80°C. The product is shipped with ice pack Storage Buffer: PBS Only | s. Upon receipt, store it immediately a | t -80°C |
| | 98177-1-PBS Concentration: 1mg, 2 mg/ml Source: Rabbit Isotype: IgG Tested Applications: FC Species Specificity: human Sialic acid-binding Ig-like lectin 8 (S lectin that belongs to the SIGLEC fan transmembrane protein containing t a cytoplasmic tail (PMID: 10625619) eosinophils, and at low levels on ba: results in inhibiting IgE-mediated m Storage: Storage: Storage buffer: | 98177-1-PBS BC053319 Concentration: GeneID (NCBI): 1mg, 2 mg/ml 27181 Source: UNIPROT ID: Rabbit Q9NYZ4 Isotype: Full Name: IgG sialic acid binding Ig-like lectin 8 Calculated MW: 499 aa, 54 kDa Tested Applications: FC Species Specificity: human Sialic acid-binding Ig-like lectin 8 (Siglec-8), also known as SAF2, is a siali lectin that belongs to the SIGLEC family of the Ig superfamily (PMID: 10856 transmembrane protein containing three extracellular immunoglobulin-lik a cytoplasmic tail (PMID: 10625619). It is an inhibitory receptor selectively eosinophils, and at low levels on basophils (PMID: 10856141; 33374255). E results in inhibiting IgE-mediated mast cell responses and reducing allergi Storage: Storage Buffer: |


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Anti-Human Siglec-8 Rabbit Recombinant Antibody (98177-1-RR, Clone: 241275A5) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9), and PEconjugated Goat Anti-Rabbit IgG. Cells were co-stained with Coralite® Plus 647 Anti-Human CD16. Cells were not fixed. This data was developed using the same antibody clone with 98177-1-PBS in a different storage buffer



1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Anti-Human Siglec-8 Rabbit Recombinant Antibody (98177-1-RR, Clone: 241275A5) (red) or Rabbit 1gG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-conjugated Goat Anti-Rabbit 1gG. Cells were not fixed. This data was developed using the same antibody clone with 98177-1-PBS in a different storage buffer formulation.