For Research Use Only

Anti-Human IL-2RG/CD132 Rabbit Recombinant Antibody, PBS Only

Catalog Number:98234-1-PBS




Basic Information	Catalog Number: 98234-1-PBS	GenBank Accession Number: NM_000206.3	Purification Method: Protein A purfication
	Size: 1mg, 2 mg/ml	GenelD (NCBI): 3561	CloneNo.: 242020H6
	Source: Rabbit	UNIPROT ID: P31785-1	
	lsotype: IgG	Full Name: interleukin 2 receptor, gamma (severe combined immunodeficiency)	
	Calculated MW: NM_000206.3		
Applications	Tested Applications: FC		
	Species Specificity: human		
Background Information	The interleukin-2 receptor (IL-2R) is a heterotrimeric receptor consisting of three subunits, alpha (IL-2RA), beta (IL-2RB), and gamma (IL-2RG). IL-2RG, also known as CD132, is an important signaling component of many interleukin receptors, including those of interleukin -2, -4, -7 and -21, and is thus referred to as the common gamma chain. Mutations in the gene of IL-2RG cause X-linked severe combined immunodeficiency (XSCID), as well as X-linked combined immunodeficiency (XCID), a less severe immunodeficiency disorder.		
Storage	Storage: Store at -80°C. The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer: PBS Only		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




۰

•

1x10^{^6} human PBMCs were surface stained with 0.25 ug Anti-Human IL-2RG/CD132 Rabbit Recombinant Antibody (98234-1-RR, Clone: 242020H6), or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were co-stained with CoraLite® Plus 647 Anti-Human CD4. Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. This data was developed using the same antibody



1x10^{^6} human PBMCs were surface stained with 0.25 ug Anti-Human IL-2RG/CD132 Rabbit Recombinant Antibody (98234-1-RR, Clone: 242020H6)(red) or Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed. This data was developed using the same antibody clone with 98234-1-PBS in a different storage buffer



Biolayer interferometry (BLl) kinetic assays of 98234-1-RR against Human IL-2RG/CD132 were performed. The affinity constant is 1.55 nM.