For Research Use Only

## Anti-Human TMIGD2/CD28H Rabbit Recombinant Antibody, PBS Only

Concentration: 1mg, 2 mg/ml

Source:

Rabbit

Isotype:



**Purification Method:** 

Protein A purfication

CloneNo.:

241807A5

Catalog Number: 98263-1-PBS

**Basic Information** 

Catalog Number: 98263-1-PBS

BC015655 GeneID (NCBI):

GenBank Accession Number:

126259
UNIPROT ID:
Q96BF3

Full Name:

gG transmembrane and immunoglobulin

Immunogen Catalog Number: domain containing 2
EG2264 Calculated MW:
282 aa. 31 kDa

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

human

## **Background Information**

Transmembrane and immunoglobulin domain-containing protein 2 (TMIGD2, also known as CD28H and IGPR1), plays a role in cell-cell interaction, migration, and angiogenesis. Through interaction with HHLA2, it costimulates T-cells in the context of TCR-mediated activation and enhances T-cell proliferation and cytokine production via an AKT-dependent signaling cascade (PMID: 22419821; 23784006). TMIGD2 has been associated with several diseases, particularly in the context of cancer. It is aberrantly expressed by human AML cells and can be used to identify and enrich functional LSCs (PMID: 38167704).

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer: PBS only, pH7.3


## **Selected Validation Data**











1x10^6 HEK-293T cells or TMIGD2/CD28H transfected HEK-293T cells were stained with 0.25 ug Anti-Human TMIGD2/CD28H Rabbit Recombinant Antibody (98263-1-RR, Clone:241807A5) and PE-Conjugated Goat Anti-Rabbit 1gG(H+L). Cells were fixed with 49% PFA and permeabilized with Flow Cytometry Perm Buffer. This data was developed using the same antibody clone with 98263-1-PBS in a different storage buffer formulation.

1x10^6 HEK-293T cells or TMIGD2/CD28H transfected HEK-293T cells were stained with 0.25 ug Anti-Human TMIGD2/CD28H Rabbit Recombinant Antibody (98263-1-RR, Clone: 241807A5) (red) or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer. This data was developed using the same antibody clone

Biolayer interferometry (BLL) kinetic assays of 98263-1-RR against Human TMIGD2/CD28H were performed. The affinity constant is 171 nM.