

For Research Use Only

Anti-Mouse MAdCAM1 Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98444-1-PBS



Basic Information

Catalog Number:

98444-1-PBS

Concentration:

1mg, 3 mg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG2010

GenBank Accession Number:

NP_038619

GeneID (NCBI):

17123

Full Name:

mucosal vascular addressin cell

adhesion molecule 1

Calculated MW:

44kDa

Purification Method:

Protein A purification

CloneNo.:

242902D6

Applications

Tested Applications:

FC

Species Specificity:

mouse

Background Information

Lymphocyte recirculation through different organs is thought to be regulated by adhesion molecules ("homing receptors") recognizing tissue-specific vascular addressins on endothelium (PMID: 7511642). The mucosal vascular addressin, MAdCAM1, is an immunoglobulin superfamily adhesion receptor for lymphocytes that is expressed by mucosal venules and helps direct lymphocyte traffic into mucosal tissues including the Peyer patches and the intestinal lamina propria (PMID: 7687523). MAdCAM1 can bind both integrin alpha-4/beta-7 and L-selectin, regulating both the passage and retention of leukocytes.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ HEK-293T or MAdCAM1-transfected HEK-293T cells were surface stained with 0.25 ug Anti-Mouse MAdCAM1 Rabbit RecAb (98444-1-RR, Clone: 242902D6) or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98444-1-PBS in a different storage buffer formulation.

1x10⁶ HEK-293T or MAdCAM1-transfected HEK-293T cells were surface stained with 0.25 ug Anti-Mouse MAdCAM1 Rabbit RecAb (98444-1-RR, Clone: 242902D6) (red) or 0.25 ug Rabbit IgG Isotype Control RecAb (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98444-1-PBS in a different storage buffer formulation.