

For Research Use Only

Anti-Human CD19 Rabbit Recombinant Antibody, PBS Only

Catalog Number: 98560-3-PBS



Basic Information

Catalog Number:

98560-3-PBS

Concentration:

1mg, 3 mg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

GeneID (NCBI):

930

ENSEMBL Gene ID:

ENSG00000177455

UNIPROT ID:

P15391

Full Name:

CD19 molecule

Purification Method:

Protein A purification

CloneNo.:

253337A1

Applications

Tested Applications:

FC

Species Specificity:

human, monkey, non-human primates

Background Information

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




1x10⁶ human PBMCs were surface stained with 0.25 ug Anti-Human CD19 Rabbit RecAb (98560-3-RR, Clone: 253337A1) or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with FcZero-rAb® APC Anti-Human CD3 Rabbit Recombinant Antibody (APC-FcA98319-2, Clone: SP34). Cells were not fixed. This data was developed using the same antibody



1x10⁶ human PBMCs were surface stained with 0.25 ug Anti-Human CD19 Rabbit RecAb (98560-3-RR, Clone: 253337A1) (red) or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98560-3-PBS in a different storage buffer formulation.



1x10⁶ cynomolgus PBMCs were surface stained with 0.25 ug Anti-Human CD19 Rabbit RecAb (98560-3-RR, Clone: 253337A1) or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were then stained with FcZero-rAb® APC Anti-Human CD3 Rabbit Recombinant Antibody (APC-FcA98319-2, Clone: SP34). Cells were not fixed. This data was developed using the same



1x10⁶ cynomolgus PBMCs were surface stained with 0.25 ug Anti-Human CD19 Rabbit RecAb (98560-3-RR, Clone: 253337A1) (red) or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue), and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were not fixed. This data was developed using the same antibody clone with 98560-3-PBS in a different storage buffer formulation.