For Research Use Only

Atlantic Blue™ Anti-Human CD62P (AK4)



Purification Method:

chromatography

CloneNo.: AK4

wavelengths:

Purified by protein-A affinity

Excitation/Emission maxima

Catalog Number: AB-65164

Basic Information

Catalog Number: GenBank Accession Number:

AB-65164 BC028067 GeneID (NCBI): Size:

100tests, 5 μ l/test **UNIPROT ID:** Source: Mouse P16109

Full Name: Isotype:

selectin P (granule membrane protein 404 nm / 458 nm IgG1, kappa

6403

140kDa, antigen CD62) Calculated MW:

830 aa, 91 kDa

Applications

Tested Applications:

Species Specificity:

Human, Non-human primates

Background Information


 $P-selectin, also known as \,GMP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,that \,mediates \,the \,interaction \,of \,MP140 \,or \,CD62P, is a \,transmembrane \,glycoprotein \,or \,MP140 \,or \,CD62P, is a \,transmembrane \,or \,MP140 \,or \,CD62P,$ activated endothelial cells or platelets with leukocytes. It is an adhesion molecule involved in the pathogenesis of inflammation, thrombosis, and oncogenesis. P-selectin is stored in the alpha-granules of platelets and Weibel-Palade bodies of endothelial cells. Upon cell activation by agonists, P-selectin is transported rapidly to the cell

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human peripheral blood platelets were surface stained with 5 ul Atlantic Blue™ Anti-Human CD62P (AB-65164, Clone:AK4) or Mouse IgG1 Isotype Control. Cells were not fixed.



1X10^6 human peripheral blood platelets were surface co-stained with FITC Anti-Human CD41a and 5 ul Atlantic Blue™ Anti-Human CD62P (AB-65164, Clone:AK4) or Mouse IgG1 Isotype Control. Cells were not fixed.