For Research Use Only

Atlantic Blue™ Anti-Human CD155/PVR (SKII.4)

Catalog Number: AB-65251



Purification Method:

Recommended Dilutions:

FC: 5 ul per 10^6 cells in 100 μ l

Excitation/Emission maxima

CloneNo.:

suspension

wavelengths:

404 nm / 458 nm

SKII.4

Basic Information

Applications

Catalog Number: AB-65251 Concentration:

100tests, 5 ul/test Source: Mouse

Isotype: IgG1, kappa

Species Specificity:

Tested Applications:

human

GenBank Accession Number:

BC015542 GeneID (NCBI): 5817 UNIPROT ID: P15151

Full Name: poliovirus receptor Calculated MW:

45 kDa

Positive Controls: FC : U-937 cells,

Background Information

CD155, also known as PVR, is a type I transmembrane glycoprotein in the immunoglobulin superfamily. It contains three extracellular immunoglobulin-like domains, D1-D3, of which D1 is recognized by the virus. Mature human CD155 consists of a 323 amino acid extracellular domain with one N-terminal V-type and two C2-type Ig-like domains, a 24 amino acid transmembrane segment, and a 50 amino acid cytoplasmic tail. CD155 is thought to play a role in adhesion by interaction with the ECM component vitronectin as well as a role in NK killing of tumor cells. CD155 binds to two receptors of NK cells, CD96 and CD226, and accumulates at cell-cell contact sites, leading to the formation of mature immune synapses between NK cells and target cells. CD155 serves as the entry receptor for poliovirus and thereby mediates human susceptibility to poliovirus infection.

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



AB-65251 CD155/PVR (SKII.4)

U-937 cells (positive) and Jurkat cells (negative) were mixed 1:1 and 1x10^6 cells were surface stained with 5 ul Atlantic Blue™ Anti-Human CD155/PVR (AB-65251, Clone: SKI1.4) (red) or Atlantic Blue™ Mouse IgG1 Isotype Control (AB-65124, Clone: MOPC-21) (blue). Cells were not fixed.



U-937 cells (positive) and Jurkat cells (negative) were mixed 1:1 and 1x10^6 cells were surface stained with 5 ul Atlantic Blue™ Anti-Human CD155/PVR (AB-65251, Clone: SKII.4) or Atlantic Blue™ Mouse IgG1 Isotype Control (AB-65124, Clone: MOPC-21). Cells were not fixed.