For Research Use Only

APC Anti-Human CD19 (4G7) Catalog Number: APC-65197





Basic Information	Catalog Number: APC-65197	GenBank Accession Number: BC006338	Purification Method: Affinity purification			
	Concentration: 100tests, 5 ul/test	GenelD (NCBI): 930	CloneNo.: 4G7			
	Source: Mouse Isotype: IgG1, kappa	ENSEMBL Gene ID: ENSG00000177455 UNIPROT ID: P15391 Full Name: CD19 molecule	Excitation/Emission maxima wavelengths: 650 nm / 660 nm			
				Calculated MW: 556 aa, 61 kDa		
				Applications	Tested Applications: FC	
		Species Specificity: human				
Background Information	CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).					
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA, pH7.3					

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^6 human PBMCs were surface stained with FITC Anti-Human CD3 (FITC-65151) and 5 ul APC Anti-Human CD19 (APC-65197, Clone:4G7) or APC Mouse IgG1 Isotype Control (APC-65124, Clone: MOPC-21). Cells were not fixed. Lymphocytes were gated.

1x10^6 human PBMCs were surface stained with 5 ul APC Anti-Human CD19 (APC-65197, Clone:4G7) or APC Mouse IgG1 Isotype Control (APC-65124, Clone: MOPC-21). Cells were not fixed. Lymphocytes were gated.