For Research Use Only

APC Anti-Mouse CD62L (MEL14)

Catalog Number: APC-65219 2 Publications




Basic Information	Catalog Number: APC-65219	GenBank A BC052681	ccession Number:	Purification Method: Affinity purification	
	Concentration: 100ug, 0.2 mg/ml	Genel D (NO 20343	CBI):	CloneNo.: MEL14	
	Source: Rat	UNIPROT II P18337	D:	Excitation/Emission maxima wavelengths: 650 nm / 660 nm	
	lsotype: IgG2a, kappa	Full Name: selectin, ly			
Applications	Tested Applications: FC				
	Cited Applications: FC				
	Species Specificity: Mouse				
	Cited Species:				
	mouse				
Background Information	CD62L, also known as L-sel CD62E (E-selectin) and CD protein of 95-105 kDa on n expressed on the surface of hematopoietic progenitor of lymphocytes to high endot	62P (P-selectin) (PMID: eutrophils and 74 kDa f most leukocytes, incl cells, and immature thy helial venules (HEV) o so involved in lympho	2663882, 2473156, 13 on lymphocytes (PMID uding lymphocytes, ne ymocytes (PMID: 16944 f peripheral lymph noo	nily of adhesion molecules that also include 82078). CD62L is a highly glycosylated : 1382078; 1694883, 1695155). CD62L is sutrophils, monocytes, eosinophils, 883, 1688580). It mediates the binding of des through interactions with a constitutivel nonocyte attachment to endothelium at site	
Background Information	CD62L, also known as L-sel CD62E (E-selectin) and CD protein of 95-105 kDa on no expressed on the surface of hematopoietic progenitor of lymphocytes to high endot expressed ligand, and is al	62P (P-selectin) (PMID: eutrophils and 74 kDa f most leukocytes, incl cells, and immature thy helial venules (HEV) o so involved in lympho	2663882, 2473156, 13 on lymphocytes (PMID uding lymphocytes, ne ymocytes (PMID: 16944 f peripheral lymph noo	82078). CD62L is a highly glycosylated 1382078; 1694883, 1695155). CD62L is eutrophils, monocytes, eosinophils, 883, 1688580). It mediates the binding of des through interactions with a constitutivel nonocyte attachment to endothelium at site	
	CD62L, also known as L-sel CD62E (E-selectin) and CD protein of 95-105 kDa on m expressed on the surface of hematopoietic progenitor of lymphocytes to high endot expressed ligand, and is al of inflammation (PMID: 130	62P (P-selectin) (PMID: eutrophils and 74 kDa f most leukocytes, incl cells, and immature the helial venules (HEV) o so involved in lympho 82078).	2663882, 2473156, 13 on lymphocytes (PMID uding lymphocytes, ne ymocytes (PMID: 16944 f peripheral lymph noo cyte, neutrophil, and n	582078). CD62L is a highly glycosylated 1382078; 1694883, 1695155). CD62L is Eutrophils, monocytes, eosinophils, 883, 1688580). It mediates the binding of des through interactions with a constitutivel	
	CD62L, also known as L-sel CD62E (E-selectin) and CD protein of 95-105 kDa on m expressed on the surface of hematopoietic progenitor of lymphocytes to high endot expressed ligand, and is al of inflammation (PMID: 130 Author	62P (P-selectin) (PMID: eutrophils and 74 kDa f most leukocytes, incl cells, and immature the helial venules (HEV) o so involved in lympho 82078). Pubmed ID	2663882, 2473156, 13 on lymphocytes (PMID uding lymphocytes, ne ymocytes (PMID: 1694 f peripheral lymph no cyte, neutrophil, and n Journal	(82078). CD62L is a highly glycosylated 1382078; 1694883, 1695155). CD62L is 1095155, CD62L is 10951555, CD62L is 109515555, CD62L is 1095155555, CD62L is 109515555555555555555555555555555555555	

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 C57BL/6 mouse splenocytes were surface co-stained with PE Anti-Mouse CD3 (17A2) and 0.2 ug APC Anti-Mouse CD62L (APC-65219, Clone: MEL14) or 0.2 ug Isotype Control. Cells were not fixed.