For Research Use Only

FcZero-rAb™ APC Anti-Human CD44 (F10-44-2) Rabbit IgG Recombinant Antibody



Purification Method:

Protein A purification

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 µl

Excitation/Emission maxima

CloneNo.:

F10-44-2

suspension

wavelengths:

650 nm / 660 nm

Catalog Number: APC-FcA65608

Basic Information

Catalog Number: APC-FcA65608 Concentration: 100tests, 5 ul/test

Source: Rabbit Isotype:

otype: G

742 aa, 82 kDa

Tested Applications:

Species Specificity:

human

GenBank Accession Number:

BC004372 GeneID (NCBI):

Calculated MW:

ENSEMBL Gene ID: ENSG00000026508 UNIPROT ID:

P16070
Full Name:
CD44 molecule (Indian blood group)

Positive Controls:

FC : human PBMCs,

Background Information

CD44 is a type I transmembrane glycoprotein expressed on embryonic stem cells and in various levels on other cell types including connective tissues and bone marrow. CD44 expression is also upregulated in subpopulations of cancer cells and is recognized as a molecular marker for cancer stem cells (PMID: 29747682). It is a cell-surface receptor that mediates cell-cell and cell-matrix interactions through its affinity for hyalurronic acid (HA) and possibly also through its affinity for other ligands (PMID: 10694938). Adhesion with HA plays an important role in cell migration, tumor growth and progression. CD44 is also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis.

Storage


Applications

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were surface stained with FcZero-rAb™ CoraLite® Plus 488 Anti-Human CD3 (UCHT1), and 5 ul APC Anti-Human CD44 (F10-44-2) Rabbit IgG RecAb (APC-FcA65608, Clone: F10-44-2) or APC Rabbit IgG Isotype Control RecAb (APC-FcA98136, Clone: 240953C9). Cells were not fixed.