For Research Use Only

FcZero-rAb™ APC-Cyanine7 Anti-Human CD38 Rabbit Recombinant Antibody



Catalog Number: AY7-FcA98148

Basic Information

Catalog Number: AY7-FcA98148

Source: Genel D (NCBI): Rabbit 952

Isotype:ENSEMBL Gene ID:IgGENSG00000004468

Immunogen Catalog Number:

EG0110

P28907 Full Name: CD38 molecule

BC007964

Calculated MW: 300 aa, 34 kDa

UNIPROT ID:

GenBank Accession Number:

Purification Method:

Protein A purification

CloneNo.: 241246F9

Recommended Dilutions:

FC: 5 ul per 10^6 cells in a 100 μ l

suspension

Excitation/Emission maxima

wavelengths: 650 nm / 778 nm

Applications

Tested Applications:

FC

Species Specificity:

human

Positive Controls:

FC: human PBMCs,

Background Information

CD38, also known as ADP-ribosyl cyclase 1, is a type II transmembrane glycoprotein with a short N-terminal cytoplasmic tail, a single membrane-spanning domain, and a C-terminal extracellular region with four N-glycosylation sites (PMID: 2319135). The extracellular domain of CD38 has bifunctional enzyme activities that catalyze synthesis of cyclic ADP ribose from nicotinamide adenine dinucleotide (NAD) and hydrolysis of cyclic ADP ribose to adenosine diphosphoribose (PMID: 10636863). CD38 is expressed on a variety of hematopoietic and non-hematopoietic cells and is involved in diverse processes such as generation of calcium-mobilizing metabolites, cell activation, and chemotaxis (PMID: 25938500).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were surface stained with CoraLite® Plus 405 Anti-Human CD14, and 5 ul APC-Cyanine7 Anti-Human CD38 Rabbit RecAb (AY7-FcA98148, Clone: 241246F9) or FcZero-rAb™ APC-Cyanine7 Rabbit IgG Isotype Control Recombinant Antibody (AY7-FcA98136, Clone: 240953C9). Cells were incubated with MonoZero™ Monocytes blocking prior to staining. Cells were not fixed.



1x10^6 human PBMCs were surface stained with 5 ul APC-Cyanine7 Anti-Human CD38 Rabbit RecAb (AY7-FcA98148, Clone: 241246F9) (red) or FcZero-Rb™ APC-Cyanine7 Rabbit IgG Isotype Control Recombinant Antibody (AY7-FcA98136, Clone: 240953C9) (blue). Cells were incubated with MonoZero™ Monocytes blocking prior to staining. Cells were not fixed.