FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human THAP3 protein



De si e la ferme e ti e a	Catalog Number:	Peptide Sequence:
Basic Information	Ag10747	MPKSCAARQCCNRYSSRRKQLTFHRFPFSRPELLKEW
	Form:	VLNIGRGNFKPKQHTVICSEHFRPECFSAFGNRKNLK
	Available lyophilized	HNAVPTVFAFQDPTQQVRENTDPASERGNASSSQK
	Species:	EKVLPEAGAGEDSPGRNMDTALEELQLPPNAEGHVK
	human	QVSPRRPQATEAVGRPTGPAGLRRTPNKQPSDHSYA
	Expression Source: e coli-derived, PET28a, with N-terminal 6*His.	LLDLDSLKKKLFLTLKENEKLRKRLQAQRLVMRRMSSRL RACKGHQGLQARLGPEQQS (1-239 aa encoded by BC022081)
	Endotoxin Level:	
	Please contact the lab for more information	
	Reconstitution	Reconstitution:
	Reconstitute at 0.25 µg/ μ l in 200 μ l sterile water for short-	The product is shipped at ambient temperature.
and Storage	term storage.	Upon receipt, store it immediately at the
	After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an	recommended temperature (see below).
	equal volume of glycerol for long-term storage (see Stability	
	and Storage for more details). If a different concentration is needed for your purposes please	
	adjust the reconstitution volume as required (please note: the	
	ion concentration of the final solution will vary according to	
	the volume used).	
	Note: Centrifuge vial before opening. When reconstituting,	
	gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO 4, 17mM NaH2PO 4, 68mM NaCl, pH7.4). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 300mM	
	imidazole.	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Champion of	Short Term Storage:	
Storage of Reconstituted Protein	Store at 2-8°C for (1-2 weeks).	
Reconstituted Protein	Long Term Storage:	
	Aliquot and store at -20°C to -80°C for up to 3 months, buffer	
	containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
	5	
	$\begin{array}{c} 74 \ Ba^{\rightarrow} \\ 66 \ Ba^{\rightarrow} \end{array}$	
	43 kDa→	
	TO	
	28 kDa→ ←33 kDa	
	A B	
	ö	
	20 kDa→	

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.