## FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

## Recombinant human TRIM2 protein



Basic Information	Catalog Number:	Peptide Sequence:
	Ag14208	MASEGTNIPSPVVRQIDKQFLICSICLERYKNPKVLPCL
	Form:	HTFCERCLQNYIPAHSLTLSCPVCRQTSILPEKGVAAL QNNFFITNLMDVLQRTPGSNAEESSILETVTAVAAGK
	Available lyophilized	PLSCPNHDGNVMEFYCQSCETAMCRECTEGEHAEH
	Species: human	
	Expression Source:	SEIIHQLTNQKASIVDDIHSTFDELQKTLNVRKSVLLM ELEVNYGLKHKVLQSQLDTLLQGQESIKSCSNFTAQA
	e coliderived, PGEX-4T, with N-terminal GST.	LNHGTETEVLLVKKQMSEKLNELADQDFPLHPRENDQ
	Biological Activity: Not tested	LD (1-300 aa encoded by BC011052)
	Endotoxin Level: Please contact the lab for more information	
Reconstitution and Storage	Reconstitution: Reconstitute at 0.25 µg/ $\mu$ l in 200 $\mu$ l sterile water for short- term storage.	Shipping: The product is shipped at ambient temperature.
	After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please	Upon receipt, store it immediately at the recommended temperature (see below).
	adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used).	
	Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
Purity	90%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4, 17mM NaH2PO4, 68mM NaCl, pH8.). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH.	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Storage of Reconstituted Protein	Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
	74 kDa→ 66 kDa→ 43 kDa→	
	4) kDa→ 28 kDa→	

20 kDa

14 kDa

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.